

Prepared for:
BLOOM DISTRIBUTION

12742 East Caley Ave Unit E
Centennial, CO USA 80111

Bloom Hemp 1800mg Citrus Tincture

Batch ID or Lot Number: 221220	Test: Potency	Reported: 29Dec2022	USDA License: N/A
Matrix: Unit	Test ID: T000231339	Started: 28Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 22Dec2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.672	5.935	128.520	4.30	# of Servings = 1, Sample Weight=30g
Cannabichromenic Acid (CBCA)	1.529	5.428	ND	ND	
Cannabidiol (CBD)	6.200	16.487	2050.740	68.40	
Cannabidiolic Acid (CBDA)	6.359	16.910	38.250	1.30	
Cannabidivarin (CBDV)	1.466	3.899	16.810	0.60	
Cannabidivarinic Acid (CBDVA)	2.653	7.054	ND	ND	
Cannabigerol (CBG)	0.949	3.369	43.310	1.40	
Cannabigerolic Acid (CBGA)	3.967	14.086	ND	ND	
Cannabinol (CBN)	1.238	4.396	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	2.707	9.610	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.727	16.781	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.293	15.240	63.620	2.10	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.803	13.503	ND	ND	
Tetrahydrocannabivarin (THCV)	0.863	3.065	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	3.355	11.910	ND	ND	
Total Cannabinoids			2341.250	78.10	
Total Potential THC			63.620	2.10	
Total Potential CBD			2084.285	69.54	

Final Approval



Karen Winternheimer
29Dec2022
11:59:00 AM MST

PREPARED BY / DATE



Sam Smith
29Dec2022
12:01:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/d75a6022-886d-4974-8631-1b9d47c7adf8>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
d75a6022886d497486311b9d47c7adf8.1